

No. E8A 001119 0029 Rev. 01

Holder of Attestation: ZHUHAI LTECH TECHNOLOGY CO., LTD.

15th Building, No.3, Pingdong 6th Road Nanping Technical Industrial Park 519060 Zhuhai, Guangdong PEOPLE'S REPUBLIC OF CHINA

Name of Object: Power supplies

(LED DRIVER)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402004802

Date, 2023-05-11

(Laurent Yuan)







No. E8A 001119 0029 Rev. 01

Model(s): SE-15-350-700-G1T; SE-15-150-500-G1T;

SE-12-100-400-G1T; SE-12-350-700-G1T;

SE-9-350-700-G1T; SE-9-550-900-G1T

Description of Object:

Rated Input Voltage: 220-240VAC Rated Frequency: 50/60Hz

Rated Input Current: See below table for details Rated Output: See below table for details

Protection Class: II

Tested EN IEC 55015:2019/A11:2020

EN 61547:2009

according to: EN 61547.2009 EN IEC 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A2:2021

Page 2 of 4





No. E8A 001119 0029 Rev. 01

Model No.	Rated Input Current (A) Max.	Output Voltage (VDC)	I _{rated} (mA)	DIP Switch Position			U _{out}	P _{rated}
				1	2	3	(VDC)	(W) Max.
SE-15-350-700-G1T	0.1	9-42	350	OFF	OFF	OFF	50	15
		9-37.5	400	OFF	OFF	ON		
		9-33	450	OFF	ON	OFF		
		9-30	500	OFF	ON	ON		
		9-27	550	ON	OFF	OFF		
		9-25	600	ON	OFF	ON		
		9-23	650	ON	ON	OFF		
		9-21.5	700	ON	ON	ON		
		9-42	150	OFF	OFF	OFF	50	15
		9-42	200	OFF	OFF	ON		
		9-42	250	OFF	ON	OFF		
OF 15 150 500 C1T	0.1	9-42	300	OFF	ON	ON		
SE-15-150-500-G1T		9-42	350	ON	OFF	OFF		
		9-37.5	400	ON	OFF	ON		
		9-33	450	ON	ON	OFF		
		9-30	500	ON	ON	ON		
	0.09	9-42	100	OFF	OFF	ON	50	12
SE-12-100-400-G1T		9-42	150	OFF	ON	OFF		
		9-42	200	OFF	ON	ON		
		9-42	250	ON	OFF	OFF		
		9-40	300	ON	OFF	ON		
		9-34	350	ON	ON	OFF		
		9-30	400	ON	ON	ON		
SE-12-350-700-G1T	0.09	9-24	350	OFF	OFF	OFF	30	12
		9-24	400	OFF	OFF	ON		
		9-24	450	OFF	ON	OFF		
		924	500	OFF	ON	ON		
		9-21.5	550	ON	OFF	OFF		
		9-20	600	ON	OFF	ON		
		9-18.5	650	ON	ON	OFF		
		9-17	700	ON	ON	ON		

Page 3 of 4





No. E8A 001119 0029 Rev. 01

		T						
SE-9-350-700-G1T	0.08	2-12	350	OFF	OFF	OFF	22	8.4
		2-12	400	OFF	OFF	ON		
		2-12	450	OFF	ON	OFF		
		2-12	500	OFF	ON	ON		
		2-12	550	ON	OFF	OFF		
		2-12	600	ON	OFF	ON		
		2-12	650	ON	ON	OFF		
		2-12	700	ON	ON	ON		
SE-9-550-900-G1T	0.08	2-10	550	OFF	OFF	OFF	22	9
		2-10	600	OFF	OFF	ON		
		2-10	650	OFF	ON	OFF		
		2-10	700	OFF	ON	ON		
		2-10	750	ON	OFF	OFF		
		2-10	800	ON	OFF	ON		
		2-10	850	ON	ON	OFF		
		2-10	900	ON	ON	ON		

Page 4 of 4

