



Proof of RCM Compliance

Cert.No.: POC24084921

Date of issue: 21-Aug-2024

Certificate Holder: Zhuhai LTECH Technology Co., Ltd
Address: 15th Building, No.3, Pingdong 6th Road, Nanping Technical Industrial Park, 519060 Zhuhai, Guangdong, PEOPLE'S REPUBLIC OF CHINA
Product Description: Power Supply or Charger
Brand/Trade Name: LTECH
Model Number: SE-20-100-700-W1A
Refer to model list
Electrical Ratings: Input: Refer to model list
Output: Refer to model list

AusRCM Compliance certifies that the Electrical/Electronic Article(s) as described above meets the requirements of the standard(s) listed below;

Compliance for: **Evidenced by:**

ACMA mandated standards –eg.EMC

Test report and Declaration of Conformity

ETSI EN 301 489-1 V2.2.3(2019-11); ETSI EN 301 489-3 V2.3.2(2023-01); ETSI EN 301 489-17 V3.2.4(2020-09); EN IEC 55015:2019+A11:2020; EN IEC 61547:2023; EN IEC 61000-3-2:2019+A1:2021; EN 61000-3-3:2013+A1:2019+A2:2021; ETSI EN 300 328 V2.2.2(2019-07); EN 62479:2010; EN 50663:2017; ETSI EN 300 330 V2.1.1(2017-02)

Electrical Safety Standard(s):

Certificate of Conformity

AS 61347.2.13: 2018;AS/NZS 61347.1: 2016+A1;

GMA-519005-EA Rev01

Date of Expire: 2029-06-01

EESS- National Equipment Database registration

Checked above model number(s) being registered as

LEVEL 3 product on

<https://equipment.erac.gov.au/Registration/EquipmentSearch.aspx?atn=public>

As of above, the Applicable Compliance mark shall be:




On behalf of AusRCM Compliance

Suite 206, 585 Little Collins Street, Melbourne ,VIC, 3000, Australia.



Proof of RCM Compliance

Cert.No.: POC24084921

Appendix -Model list

Model	Rating
SE-20-100-700-W1A	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W2A	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W1M	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W2M	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W1D	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W2D	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W1B	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-20-100-700-W2B	Input: 100-240V AC/DC, 50/60Hz, 0.25A Max Output: 9-42Vdc, 0.1-0.7A, 20W Max., Uout:48V
SE-12-100-500-W1D	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V
SE-12-100-500-W2D	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V
SE-12-100-500-W1B	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V
SE-12-100-500-W2B	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V
SE-12-100-500-W1A	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V
SE-6-100-450-G1D	Input: 220-240V AC/DC, 50/60Hz, 0.08A Max Output: 9-42Vdc, 0.1-0.45A, 6.3W Max., Uout:50V
SE-6-350-700-G1D	Input: 220-240V AC/DC, 50/60Hz, 0.08A Max Output: 9-42Vdc, 0.1-0.45A, 6.3W Max., Uout:50V
SE-12-100-500-W2A	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V



Proof of RCM Compliance

Cert.No.: POC24084921

Appendix -Model list

Model	Rating
SE-12-100-500-W1M	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V
SE-12-100-500-W2M	Input: 100-240V AC/DC, 50/60Hz, 0.18A Max Output: 9-42Vdc, 0.1-0.5A, 12W Max., Uout:48V