



A P P R O V A L S ®

## Certificate of Conformity/Approval

**Certificate No.:** SAA-230731-EA

**Certificate Holder:** Zhuhai LTECH Technology Co., Ltd.  
15th Building, No. 3, Pingdong 6th Road,  
Nanping Technical Industrial Park, 519060 Zhuhai,  
Guangdong,  
P.R. China

**Regulatory Definition:** Power Supply or Charger

**Product Description:** LED Driver (Independent, SELV, constant current)

**Standard/s:** AS 61347.2.13:2018  
AS/NZS 61347.1:2016 Inc A1

**Condition/s:** For use with lighting equipment only.

**Approval Marks:** RCM (In accordance with AS/NZS 4417 and EESS requirements)  
and  
SAA-230731-EA (In accordance with NSW legislative requirements)

**Initial Issue Date:** 12 July 2023

**Expiry Date:** 12 July 2028

*R. A. Hill*

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 12-07-23 230731  
Page 1 of 3



A P P R O V A L S ®

## Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
SE-15-350-700-G1T	LTECH; LTSYS;	Input: 220-240Vac 50/60Hz, Max 0.1A Output: 9-42Vdc 350mA 9-37.5Vdc 400mA 9-33Vdc 450mA 9-30Vdc 500mA 9-27Vdc 550mA 9-25Vdc 600mA 9-23Vdc 650mA 9-21.5Vdc 700mA Max 50Vdc, Max 15W ta:45°C, tc: 90°C, IC, Thermal protection 110°C, Class II
SE-15-150-500-G1T	LTECH; LTSYS;	Input: 220-240Vac 50/60Hz, Max 0.1A Output: 9-42Vdc, 150-350mA 9-37.5Vdc 400mA 9-33Vdc 450mA 9-30Vdc 500mA Max 50Vdc, Max 15W ta:45°C, tc: 90°C, IC, Thermal protection 110°C, Class II
SE-12-100-400-G1T	LTECH; LTSYS;	Input: 220-240Vac 50/60Hz, Max 0.09A Output: 9-42Vdc, 100-250mA 9-40Vdc 300mA 9-34Vdc 350mA 9-30Vdc 400mA Max 50Vdc, Max 12W ta:45°C, tc: 90°C, IC, Thermal protection 110°C, Class II

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 12-07-23 230731  
Page 2 of 3



A P P R O V A L S ®

## Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
SE-12-350-700-G1T	LTECH; LTSYS;	Input: 220-240Vac 50/60Hz, Max 0.09A Output: 9-24Vdc, 350-500mA 9-21.5Vdc 550mA 9-20Vdc 600mA 9-18.5Vdc 650mA 9-17Vdc 700mA Max 30Vdc, Max 12W ta:45°C, tc: 90°C, IC, Thermal protection 110°C, Class II
SE-9-350-700-G1T	LTECH; LTSYS;	Input: 220-240Vac 50/60Hz, Max 0.08A Output: 2-12Vdc, Max 22Vdc, 350-700mA, Max 8.4W ta:45°C, tc: 90°C, IC, Thermal protection 110°C, Class II
SE-9-550-900-G1T	LTECH; LTSYS;	Input: 220-240Vac 50/60Hz, Max 0.08A Output: 2-10Vdc, Max 22Vdc, 550-900mA, Max 9W ta:45°C, tc: 90°C, IC, Thermal protection 110°C, Class II

R.A. Hill

For and on Behalf of  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

[www.saaapprovals.com.au](http://www.saaapprovals.com.au)



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 12-07-23 230731  
Page 3 of 3